

FRONTIER | ARMS

Since 1949

10 YEARS 1949-2019

2019/2020 Products



Exclusive Australian Distributor

NEW FOR 2019

NEW FOR 2019



THOMPSON/CENTER
America's Master Gunmaker

Long Range Rifle

page 6



THOMPSON/CENTER
America's Master Gunmaker

Long Range Rifle

page 6



WALTHER

**PPQ Q5 Match SF
Handgun**

page 13



WALTHER

**PPQ Q5 Match SF
Champion Handgun**

page 13



WALTHER

**PPQ Q5 Match SF
Expert Handgun**

page 13

WALTHER

Reign Air Rifle

page 8



WALTHER

LGU Master Pro Air Rifle

page 8



UMAREX

850 M2 Air Rifle

page 11





T/C® COMPASS™

The feature-rich hunting rifle that's easy on the wallet!



3-LUG BOLT DESIGN

Simple, rugged design lends itself to years of reliable service and top-notch accuracy and reliability.



3-POSITION SAFETY

Provides visible and tactile feedback as to position of the safety. Provides locked, load/unload and fire positions.



MAXIMUM SCOPE CLEARANCE

The 60 degree bolt lift provided by the 3-lug bolt design gives the shooter maximum clearance between the bolt handle and a mounted scope - for fast cycling.



ADJUSTABLE TRIGGER

Crisp, single stage trigger, user-adjustable for weight of pull and minimum over-travel.



THREADED MUZZLE W/THREAD PROTECTOR

Threaded Muzzle for Compatible Compensators & Muzzle breaks.

5/8" - 24 UNEF for .243 & larger

1/2" - 28 UNEF for .204, .223 & .22-250



FLUSH FIT ROTARY MAGAZINE

The detachable, compact rotary magazine fits flush with the stock for easy carrying and no snags. The low-maintenance polymer magazine provides smooth feeding in a rust-proof, durable package. 5-shot capacity in standard calibres and 4-shot in magnum calibres.

Compass

Guaranteed MOA accuracy

5R rifled match-grade barrel, 22" (standard calibres), 24" (magnum calibres)

Free floated barrel for outstanding accuracy

Aluminium pillar bedding with a bedding system that positively locates the receiver

Three-lug bolt with 60° lift provides good scope clearance and a smooth, easy cycling action

User-adjustable precision trigger

Detachable 5-shot rotary magazine fits flush with the stock (5-shot + 1 in standard calibres, 4-shot + 1 in magnum calibres)

Ergonomic, lightweight stock combines a classic look with modern contours and textured grip panels

3-position safety with bolt lock

Threaded muzzle with thread protector

Factory installed scope bases (scope & rings sold separately)

Weight: 7 1/4 lbs (standard calibres) 7 1/2 lbs (magnum calibres)

Calibres: .204, .223, .22-250, 6.5 Creedmoor, 7mm-08, .243, .308, .270, .30-06, 7mm RM, .300VWM



T/C's match grade barrels with 5R rifling deliver guaranteed Minute of Angle (MOA) accuracy... 1 inch (3 shot) groups at 100 yards with premium ammunition.



5R rifling's unique design provides benefits to the shooter by causing less bullet deformation. The edges of each land do not cut into and deform the bullet jacket. When the bullet jacket is less deformed, there will be less jacket fouling in the grooves. This results in accuracy from shot to shot, greater bullet stability over multiple shots, and ultimately, a rifle that's easier to clean thoroughly.



The American-made T/C Compass is backed by the famous T/C Limited Lifetime Warranty, protecting your investment for a lifetime of hunts.



The T/C Compass is proudly made in the USA!

6.5 Creedmoor

Designed by Hornady, it's the first production cartridge ever developed from the ground up to be a true match winner. Intended as a means to give demanding target shooters a factory-loaded cartridge that would allow them to take on the traditional rounds at the highest levels of competition. With a pedigree firmly rooted in precision shooting, the 6.5 Creedmoor is now making its way into the hunting world. With light recoil, superior long-range accuracy and terminal ballistics, it is both easy to shoot well and very effective in the field. It's the perfect choice for most big game hunters.





NEW
for 2019



NEW
for 2019



Long Range Rifle

5R rifled fluted barrel, 20" (.308), 24" (6.5 Creedmoor), 26" (.243)

20 MOA Picatinny-style rail

Flat Dark Earth (FDE) or black finish

Adjustable cheek piece and butt plate, with built-in Magpul M-LOK slots

Threaded barrel with muzzle break

Performance Center trigger adjustable from 2½ - 3½lbs

Weight: 11lbs (.308), 11½lbs (6.5 Creedmoor), 12lbs (.243)

Calibres: .243, .308, 6.5 Creedmoor

Includes: detachable 10-shot magazine, Caldwell bipod and soft gun case



Dimension

The Dimension is a bolt-action platform you build on, season after season

Start with one complete rifle, then add barrels and other components to shoot more calibres

No gunsmithing required

Free floated match-grade barrel, 22" (medium action), 24" (long action)

Aluminium pillar bedding

Adjustable precision trigger

3-lug fluted bolt with 60° lift

Factory installed scope bases

3-shot box magazine

Composite stock with Armorsoft grip panels

Weight: 7lbs

Calibres: .204, .223, .22-250, .308 (medium action), .270, .30-06 (long action)



Shared specs on all Venture models:

Aluminium pillar bedding

Adjustable precision trigger

60° bolt lift

Factory installed scope bases

3-shot box magazine

Venture Weather Shield

Weather Shield finish - 50x more corrosion resistant than stainless steel

Free floated match-grade barrel, 22" (medium action), 24" (long action)

Composite stock with Hogue over-moulded rubber grip panels

Weight: 7lbs

Calibres: .223, .22-250, .308, 6.5 Creedmoor, 7mm-08 (medium action), .270, .30-06, 7mm RM, .300 WM (long action)



Venture Compact

Free floated 20" match-grade barrel

Composite stock with Hogue over-moulded rubber grip panels

Removable 1" stock spacer

Weight: 6¼lbs

Calibres: .223, .22-250, 7mm-08, .243, .308



Venture Predator

Free floated 22" fluted match-grade barrel

Realtree MAX-1 Camo composite stock with Hogue over-moulded rubber grip panels

Weight: 6¼lbs

Calibres: .204, .223, .308

Optional accessories include: T/C 3-12x40 Realtree MAX-1 Camo scope & rings



Encore Pro Hunter

Single-shot rifle or pistol with interchangeable barrel system

Simply change barrels by removing 2 screws and 1 pin

Rifle: 20" & 28" stainless fluted barrels with black or camo synthetic stock

Pistol: 12" & 15" blued or stainless barrels & black synthetic grip

Weight: 7¾lbs (rifle), from 4¼lbs (pistol)

Rifle calibres: from .204 to .500 S&W, 20ga, 12ga, 209x50

Pistol calibres: from .204 to .460 S&W



G2 Contender

Single-shot rifle or pistol with interchangeable barrel system

Simply change barrels by removing 2 screws and 1 pin

Rifle: 23" blued barrel & walnut stock or stainless barrel & black synthetic stock

Pistol: 12" & 14" blued barrels & walnut grip or stainless barrels & black synthetic grip

Weight: 5¼lbs (rifle), from 3¼lbs (pistol)

Rifle calibres: from .17HMR to 30-30

Pistol calibres: from .17HMR to .45/70 Govt

Reign

This compressed air rifle is a real eye-catcher. The short bull-pup construction alone makes it stand out from the crowd. But when you hold the Walther Reign in your hands, its real uniqueness reveals itself: First of all, the light weight impresses. The high quality components made of high-strength aluminium are immediately noticeable. The rifle's surface has a masterful grip texture in all the right places. When you pull it into your shoulder it becomes one with your body. Its operation is so smooth and comfortable that you can locate and operate the cocking lever without losing sight of the target - whether you're left-handed or right-handed. Light, short and easy to handle, the Walther Reign is ideal for target shooting. Its technology, style and precision are so convincing it's no surprise the first bull-pup rifle developed and built by Umarex is Made in Germany.

.22 or .25 compressed air rifle

Energy: < 60 joules (.22) or < 70 joules (.25)

Magazine capacity: 10-shot (.22) or 9-shot (.25)

Length: 787mm

Weight: 2.5kg

 **NEW FOR 2019**

Century Varmint

.177 or .22 calibre

Velocity: up to 985 f/s (.177), 625 f/s (.22)

Break barrel spring-powered air rifle

XT trigger with adjustable first stage travel

Automatic trigger safety

All-weather synthetic thumbhole stock with raised cheek piece

Weight: 3.5kg

Optional accessories include: Walther 6x42 scope & rings



LGU Master Pro

 **NEW FOR 2019**

LGU Varmint



reddot design award
winner 2017

LGU

.177 or .22 calibre

Velocity: up to 970 f/s (.177), 625 f/s (.22)

Underlever spring-powered air rifle

Adjustable match trigger (first stage travel and trigger weight)

Automatic trigger safety

Innovative Super Silent Technology for smooth firing

Vibration Reduction System for increased accuracy

All-weather synthetic thumbhole stock with HI-GRIP finish on grip and fore-end (LGU Varmint)

Sporting beech stock with Monte Carlo cheek piece and chequered grip (LGU Master Pro)

11mm dovetail for scope mounts

Weight: 4.3kg

Optional accessories include: Walther 6x42 scope & rings



Maximathor Varmint

Maximathor

.22 calibre
Velocity: up to 1180 f/s, 60 joules
200 bar compressed air cylinder
All-weather synthetic thumbhole stock with HI-GRIP finish on grip and fore-end (Maximathor Varmint)
Minelli stock with checkered grip (Maximathor)
Weight: 4.25kg (without scope)



Maximathor



Rotex RM8 Varmint

Rotex RM8

.177 or .22 calibre
Velocity: up to 1000 f/s (.177), 850 f/s (.22)
230 bar compressed air cylinder
All-weather synthetic thumbhole stock with HI-GRIP finish on grip and fore-end (Rotex RM8 Varmint)
Minelli stock with checkered grip (Rotex RM8)
Weight: 3.8kg (Rotex RM8 Varmint without scope), 3.6kg (Rotex RM8 without scope)



Rotex RM8



I250 Dominator FT

.177 or .22 calibre, PCP air rifle
Bolt-action repeater with 2 x 8-shot magazines
Velocity: up to 1250 f/s (.177), 985 f/s (.22)
Refillable 300/200 bar compressed air cylinder with volume gauge
All-weather ambidextrous stock
Includes: Walther 8-32x56 scope & rings, bipod, compensator, filling adaptor, cased
Weight: 5.6kg

Shared specs on Maximathor & Rotex models:

PCP (Pre-charged pneumatic) air rifle
Bolt-action repeater with 8-shot rotary metal magazine
Lothar Walther barrel with barrel weight & ½" UNF thread
Quick-fill compressed air cylinder with volume gauge
Optional accessories include: Walther 6x42 scope & rings, Filling tube



NEW FOR 2019

850 M2

.177 or .22 CO2 powered air rifle
Bolt-action repeater with 2 x 8-shot magazines
Velocity: up to 820 f/s (.177), 660 f/s (.22)
Removable additional high cheek piece for shooting with rifle scope
Threaded barrel with ½"-20 UNF

Three Picatinny rails on the removable fore-end cap for attachment of accessories
Includes: 2 x 88g Umarex premium CO2 cartridges
Weight: 3.06kg
Optional accessories include: Walther 6x42 scope & rings



Gold Cup

Target front sight and adjustable rear sight
Extended beavertail grip safety
Elongated hammer
Weight: 940g



Government

Fixed sights
Spur hammer
Weight: 930g



Rail Gun

White dot carry front and rear sight
MIL-STD Picatinny rail
Front and rear slide serrations
Extended beavertail grip safety
Elongated hammer
Weight: 950g
Optional accessories include: Walther Red Dot Top Point sight, Bridge mount

FDE Gold Cup

FLAT Dark Earth finish with rubber grips
Target front sight and adjustable rear sight
Extended beavertail grip safety
Elongated hammer
Weight: 940g

Shared specs on COLT .22 models:

.22 LR semi-auto
CNC machined high-grade aluminium slide
Barrel length: 127mm (5")
Blued finish with rubber grips (except FDE Gold Cup)
Includes: 1 x 10-round magazine

Made exclusively under licence by
WALTHER in Germany

NEW FOR 2019

PPQ Q5 Match SF

Trigger pull = approx. 2500g
Blue trigger blade and blue AFC-coated trigger bar
Dimensions (L/H/W): 220mm / 137mm / 36mm
Weight: 1160g



NEW FOR 2019

Shared specs on PPQ Q5 SF models:

9mm semi-auto
Steel frame
Very short trigger travel & reset path
Ambidextrous slide stop lever
Left side magazine release, reversible to right
Front and rear slide serrations
Tenifer-coated & corrosion resistant carbon steel slide and barrel
Steel recoil guide rod
Full-length Picatinny dust cover shows that it's ready for serious competition
Anti-friction coating for magazines
LPA click adjustable metal rear sight & red fibre optic front sight
Optics ready - supplied with three interchangeable adaptor plates for red-dot sights from Trijicon, Leupold and Docter/Meopta (Optic sold separately)
Includes: 3 x 10-shot magazines, cased
Barrel length: 127mm
Optional accessories include:
Walther PPQ paddle holster, holster belt adapter, double magazine pouch, PPQ knives

PPQ Q5 Match SF Champion

Trigger pull = approx. 2500g
Blue trigger blade and blue AFC-coated trigger bar
Adjustable sear engagement for "crisp" trigger break
Low-profile magwell and aluminium mag extensions
Dimensions (L/H/W): 220mm / 137mm / 39mm
Weight: 1200g



PPQ Q5 Match SF Expert

Trigger pull = approx. 2000g
Hand-adjusted trigger
Aluminium trigger shoe in size M-Flat, additional M-Curved aluminium trigger shoe included
Low-profile magwell and aluminium mag extensions
Dimensions (L/H/W): 220mm / 137mm / 39mm
Weight: 1200g

PPQ Q5 Match Champion



PPQ Q5 Match

PPQ Q5 Match

Adjustable trigger, extra heavy tungsten recoil guide rod (PPQ Q5 Match Champion only)
LPA click adjustable metal rear sight & red fibre optic front sight
Optics ready - supplied with three interchangeable adaptor plates for red-dot sights from Trijicon, Leupold and Docter/Meopta (Optic sold separately)
Blue trigger blade and blue AFC-coated trigger bar provides a better trigger characteristic
Includes: 3 x 10-shot magazines, cased
Barrel length: 127mm
Dimensions (L/H/W): 206mm / 135mm / 34mm
Weight: 775g



PPQ M2 9mm

Polymer 3-dot sights
Includes: 2 x 10-shot magazines, cased
Barrel length: 127mm
Dimensions (L/H/W): 206mm / 135mm / 34mm
Weight: 740g

Shared specs on PPQ 9mm models:

9mm semi-auto
Very short trigger travel & reset path
Trigger pull = approx. 2500g
Ambidextrous slide stop lever
Left side magazine release, reversible to right
Front and rear slide serrations
Non-slip grip with interchangeable backstraps
MIL-STD 1913 Picatinny rail
High-strength polymer frame
Tenifer-coated & corrosion resistant carbon steel slide and barrel
Anti-friction coating for magazines
Optional accessories include: Walther PPQ paddle holster, holster belt adapter, double magazine pouch, PPQ knives

MADE IN GERMANY

PPQ Q5 Match Combo

9mm semi-auto
Phosphorescent steel sights
Mounted Shield RMSc Red Dot mini sight, cover plate (when used without Red Dot)
Black anti-friction coated trigger bar
Includes: 3 x 10-shot magazines, cased
Tungsten Grey frame
Barrel length: 127mm
Dimensions (L/H/W): 206mm / 137mm / 34mm



PPQ M2 .22

.22 LR semi-auto
Very short trigger travel & reset path
Trigger pull = approx. 2200g
Ambidextrous slide stop lever
Left side magazine release, reversible to right
Front and rear slide serrations
MIL-STD 1913 Picatinny rail
Red fibre optic front sight
Adjustable rear sight
High-strength polymer frame
Includes: 2 x 10-shot magazines, cased
Available in black or FLAT Dark Earth finish
Barrel length: 127mm
Dimensions (L/H/W): 206mm / 135mm / 34mm
Weight: 640g



P22QD Target

.22 LR semi-auto
Ambidextrous safety & magazine release
Front and rear slide serrations
Non-slip grip with interchangeable backstraps
Weaver accessory rail
Adjustable rear sight, interchangeable 3-dot front sight
Includes: 2 x 10-shot magazines, cased
Available in black or nickel finish
Barrel length: 127mm
Dimensions (L/H/W): 200mm / 114mm / 28mm
Weight: 580g





LP500 Expert

Carbon air cylinder 200 bar
Gold barrel with gas ports
Fully adjustable trigger: Electronic or Mechanical
3D Memory walnut adjustable grip
Weight: 910g

Shared specs on LP500 models:

.177 single-shot compressed air pistol
Aluminium barrel jacket
Includes: Filling adaptor, tools, cased
Barrel length: 221mm



LP500 Finest Craftsmanship

Carbon air cylinder 200 bar
Gold barrel with gas ports
Fully adjustable trigger: Electronic
5D Protouch adjustable grip
Weight: 930g



LP500 Competition

Carbon air cylinder 200 bar
Silver barrel
Fully adjustable trigger: Electronic or Mechanical
3D Memory walnut adjustable grip
Weight: 910g



LP500 Economy

Silver barrel
Fully adjustable trigger: Mechanical
Universal 'All-in-one' left & right adjustable grip
Weight: 845g



SSP

.22 LR semi-auto
Olympic and World Cup medal winner
Reduced recoil with pneumatic dampening system
Hammerless linear system reduces movement
Turnable front sight and adjustable rear sight
Fully adjustable trigger: Electronic (SSP-E) or Mechanical (SSP)

Rechargeable via mini-USB, 6000 rounds per full battery (SSP-E)
Adjustable grip: 3D walnut (SSP-E), 3D Protouch or "Green Pepper" (SSP)
Includes: 2 x 5-round magazines, tools, cased
Barrel length: 153mm
Weight: 970g



SSP



SSP-E



GSP .22

GSP .32

GSP Expert

.22 LR or .32 S&W semi-auto
World Championship medal winner
World's most popular target pistol – over 100,000 units sold
Improved barrel geometry
Newly developed recoil absorber
Adjustable sights
Fully adjustable trigger
Laminated adjustable "Caribbean Waves" grip
Includes: 2 x 5-round magazines, tools, cased
Barrel length: 115mm (.22), 107mm (.32)
Weight: 1200g (.22), 1280g (.32)



FP500 Free Pistol

.22 LR single-shot
Set trigger with dry fire mechanism
Equipped with weights and individually adjustable stabilizers
Falling block makes it comfortable to open
Sights can be altered laterally and in height and length by hand

Rear sight notch adjustable in height and depth
Integral front sight in three widths
Adjustable grip
Includes: plastic case with cleaning kit
Barrel length: 290mm
Weight: 1120g

WALTHER® TARGET RIFLES



LG400-E Anatomic Expert



LG400-M Alutec Expert



LG400 Alutec Competition

LG400

.177 single-shot, 300/200 bar compressed air rifle
Carbon fibre barrel jacket

Aluminium stock or anatomic laminated wooden stock with wide range of settings, in "Blue Angel", "Green Pepper" or black finish

MEC butt plate (Anatomic Expert, Alutec Expert, Competition), Sinus butt plate (Economy, Blacktec)

Ergonomically shaped loading lever can be placed on the left-hand or right-hand side

Wide breech with loading status indicator
Optimised air flow ensures short shot development time

Insight/Out rear sight and Centra Score fore sight (Anatomic Expert, Alutec Expert)

Sport match rear sight and Centra Score fore sight (Competition)

Basic match diopter and Walther Basic fore sight holder (Economy, Blacktec)

Pressure reducer with Quickclean air filter
Electronic (Anatomic & Alutec Expert only) or Mechanical trigger

Stock with T-slot rail

Vario adjustable trigger with dry-fire mode, tools, cased

Weight: 4kg (Blacktec), 4.1kg (Anatomic Expert), 4.2kg (Competition), 4.3kg (Alutec Expert), 4.4kg (Economy)



KK500-M Anatomic



KK500-E Expert

KK500

.22 LR single-shot small-bore rifle

World Cup medal winner

Bolt handle and cartridge ejection can be switched without tools for right- or left-handed operation

Short bolt and breech permit easy reloading from the firing position

Aluminium stock or anatomic laminated wooden stock with wide range of settings, in "Blue Angel" or "Green Pepper" finish

Ball-bearing-mounted Expert match trigger, either Electronic or Mechanical

High-precision match barrel made of alloy steel with long lifespan

Slim all-in-one cheek piece with two different contact surfaces

3D laminated grip & infinitely adjustable fore-end elevation

MEC hand stop & Expert hook butt plate

Parallel linkage for adjustment of butt stock cast (Expert only)

Insight/Out rear sight and Centra Score fore sight

Centra Block Club sight elevation - height and laterally adjustable

Cased with tools and accessories

Weight: 6kg

KK300 Blacktec

.22 LR single-shot small-bore rifle

Ambidextrous aluminium stock with T-slot rail and wide range of settings

Adjustable match trigger

Adjustable Sinus butt plate, variable stock length, cheek piece height and fore-end height

Basic match rear sight and standard fore sight

Cased with tools and accessories

Weight: 5kg

HAMMERLI® TARGET PISTOLS



AP20



AP20 Pro

AP20

.177 single-shot compressed air pistol

Fitted with a compensator to reduce recoil

Turnable front sight and adjustable rear sight

Fully adjustable trigger with dry-fire mode

Loading lever can be mounted either right or left side

200 bar cylinder can be mounted vertically or horizontally to allow change of centre of gravity (AP20)

200 bar Slimline cylinder with pressure gauge (AP20 Pro)

Adjustable grip: Universal 'All-in-one' left & right (AP20), 3D Memory walnut (AP20 Pro)

Includes: six different coloured barrel jackets that can be readily swapped, tools, filling adaptor, cased

Barrel length: 250mm

Weight: 870g (AP20), 980g (AP20 Pro)

X-esse

.22 LR semi-auto

Competition ready

Adjustable trigger 1000g to 1360g (Sport & IPSC only)

Adjustable rear sight

Turnable front sight (Sport & IPSC only)

Broad safety catch offset by 45° (IPSC only)

11mm rail for scope mounts

Adjustable grip (Sport), ambidextrous grip (IPSC & Standard)

Includes: 2 x 10-round magazines, cased

Barrel length: 150mm

Weight: 1040g (Sport), 880g (IPSC & Standard)



X-esse Sport



X-esse IPSC



X-esse Standard

HAMMERLI® TARGET RIFLES



AR20 Pro

.177 single-shot, 300/200 bar compressed air rifle

Ambidextrous stock with T-slot rail and wide range of settings

Adjustable butt plate, variable stock length, cheek piece height and fore-end height

Basic match rear sight and standard fore sight

Weight: 3.9kg



Knobloch SHOOTING GLASSES

... the better you see, the better you shoot

KI glasses

For both pistol and rifle shooting
Height-adjustable nose piece
37mm lens holder
Designed by optician and German shooting champion Bruno Knobloch
Dramatically improve sight picture when fitted with corrective lens
Made of ruthenium coated Nickel silver, high-grade steel, silicon, thermoplast
Adjusting slide allows for perfect alignment of lens holder
Curlside ends are silicon covered for better comfort
Spring hinge sides
Includes: allen key, cased

Optional accessories include:

Centering device
Clips onto the lens
Lens is precisely centered as soon as the sight picture shows a perfectly round target bull
Device is then removed



Iris shutter
Clips on lens holder
Sharpens sight picture



KI with accessories



Filter and clip-on-holder
Attaches to the lens holder and are designed to suit a variety of light conditions
Available in yellow, orange 35%, orange 55%, red, brown, grey/green, grey, amethyst, polarized

Cover disc
For non-aiming eye
White, transparent or black



Cover disc with side protector
Cover disc for non-aiming eye with moveable side protector
Transparent or black



Official supplier to the German Shooting Team.

MADE IN GERMANY

K5 glasses

For shotgun and pistol shooting
Height adjustable nose piece ensures the frames do not come into contact with the shotgun
Different filters are available and can be swapped quickly to suit changing light conditions
Supplied with blank lens, corrective lens can be fitted by optician
Made of Nickel silver, high-grade steel, silicon, PVC
Curlside ends are silicon covered for better comfort
Spring hinge sides
Includes: cased



K5 with yellow filter

Optional accessories include:

K5 clip-on filters
Available in yellow, orange, red, brown, green, grey, amethyst, polarized



WALTHER® PRO® LIGHTS

NLI10

Nichia LED
Perfect fit for your bunch of keys
36mm length, 4.8g



NLI20

Nichia LED
Perfect fit for your bunch of keys
45mm length, 8.7g



SL40

108mm length, 67g



SL65

135mm length, 81g



reddot design award
winner 2017



SL66r

Includes: rechargeable battery, chargers (USB, car, socket)
IPX 8 rated - waterproof up to 15m
140mm length, 85g



PL55r

Includes: rechargeable battery, USB charging cable (allows recharge without removing battery)
117mm length, 65g



PL60

PL60 (Light only)
PL60RS (Includes: remote switch and universal mount)
IPX 8 rated - waterproof up to 15m (with end cap)
IPX 4 water-resistant rating (with remote switch)
140mm length, 85g



PL60RS



PL60



PL70r
Includes: rechargeable battery, chargers (USB, car, socket)
143mm length, 142g

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
910 LUMENS	205m	18h

PL75mc
360° rotating head for quick switch between white, red, green and blue LED
145mm length, 173g

FOUR IN ONE

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
210 LUMENS	118m	28h

PL80
134mm length, 161g

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
650 LUMENS	230m	11h

Shared specs on SL, PL, XL & HL models:

- Cree LED
- Anti-reflex aircraft aluminium body
- One-handed adjustable focus
- Three Light Output settings - 100%, 40%, 10% + strobe
- Multi Battery System allows for a variety of battery types (except PL55r, & all XL)
- Time Control System increases run time
- Temperature Protection System protects components
- IPX 4 water-resistant rating*
- Includes: batteries, replacement seals, pouch (all SL & PL, except PL60RS), case (all XL & GLI500r only)
- Made and tested according to ANSI FLI (American National Standards Institute)

*Except where indicated

HL31r

- Battery compartment at front eliminates excess cables
- Up to 90° tipping angle
- Washable headband, 175g
- Includes: rechargeable battery, chargers (USB, car, socket)

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
710 LUMENS	175m	23h



GLI500r and Power Bank

- Power Bank - attach USB cable to recharge mobile phones and tablets
- Includes: rechargeable batteries, charger, USB charging cable (allows recharge without removing battery)
- 200mm length, 484g

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
1350 LUMENS	300m	58h

HL17

- Battery compartment at front eliminates excess cables
- Up to 90° tipping angle
- Washable headband, 175g

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
235 LUMENS	140m	18h



XL1000
Includes: belt loop, cased
325mm length, 510g

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
920 LUMENS	270m	117h



XL3000
Includes: shoulder carry strap, fastening rings, cased
400mm length, 860g

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
1850 LUMENS	320m	60h



XL8000r
Includes: rechargeable batteries, charger and charging cable (allows recharge without removing battery), shoulder carry strap, fastening rings, cased
310mm length, 820g

FL 1 STANDARD	FL 1 STANDARD	FL 1 STANDARD
4500 LUMENS	440m	29h

Optional accessories include:



Colour Filter Set (Set of 4)
Colours: red, blue, green and yellow
Suitable for PL70r, PL75mc (already integrated), PL80



Anti-Roll Protection Set (Set of 3)
Prevents pocket light rolling away when set down on a table, rock or car roof
Colours: black, blue, night-glow (phosphor)
Suitable for PL70r, PL75mc, PL80



Signal Cone Set (Set of 2)
Transforms pocket light into a widely visible signalling device
Colours: red, white
Suitable for PL70r, PL75mc, PL80
Create a red, blue, yellow or green signal by using optional colour filter set with white cone

Light Holder (for bike)
Allows pocket light to mount on a bike, made of special rubber and folds around 25mm diameter tube
Suitable for SL66r, PL60, PL60RS, PL70r, PL75mc & Walther TGS light series



Light Holder (for tripod)
Allows variety of lights to mount on a tripod (1/4" thread connection), quick and easy clamp mounting, made of lightweight, high-quality synthetic material
Suitable for SL66r, PL60, PL60RS, PL70r, PL75mc, PL80, HL series & XL series

WALTHER® PRO® KNIVES



Rescue Knife
(Yellow or Black)

One-handed opening knife with assist and liner lock
Extendable seat belt cutter
Glass breaker
90mm blade length, 218mm overall length, 208g



Black Tac Knife

One-handed opening knife with assist and liner lock
Glass breaker
87mm blade length, 209mm overall length, 190g



Black Tac Tanto Knife

One-handed opening knife with assist and liner lock
Glass breaker
87mm blade length, 209mm overall length, 190g

WALTHER® PRO® MULTI-TOOLS



Multi Tac Knife

One-handed opening knife with assist and liner lock
18 functions including pliers, scissors, bottle opener, screwdriver, swing-out bit holder & 9 bits, glass breaker, 12C27 Sandvik stainless steel blade
G10 grip with rubber coating, includes pouch, aluminium case
80mm blade length, 195mm overall length, 236g

Tool Tac

12 functions including fold-out combination pliers with wire cutter, wood saw, bottle opener, screwdriver (regular and Phillips), seat belt cutter, double-edged file and 12C27 Sandvik stainless steel knife blade
G10 grip with rubber coating, includes pouch, aluminium case
Small: 40mm blade length, 70mm overall length, 78g
Medium: 57mm blade length, 157mm overall length, 187g



Traditional Folding Knife

Two-handed opening knife with liner lock
78mm blade length, 177mm overall length, 126g



Fixed Blade Knife

Rugged utility knife with full tang that is as thick as the blade
109mm blade length, 235mm overall length, 254g



Shared specs on
Walther Pro knives:

12C27 Sandvik stainless steel blade*
G10 grip with rubber coating*
Includes: pouch, aluminium case

*Except Ceramic knife



Ceramic Knife

Two-handed opening knife with back lock
High-tech ceramic blade and synthetic grip
66mm blade length, 164mm overall length, 92g



Survival Knife

Multi functions including 12C27 Sandvik stainless steel blade, wood saw, fire starter and knife sharpener
Synthetic grip, includes pouch, aluminium case
85mm blade length, 210mm overall length, 304g



Gun Care Series



Gun Care
Expert Series



Gun Cloth &
Hand Cloth Set

WALTHER® PRO® GUN CARE

Gun Care

Lubricant, solvent and rust inhibitor all in one
Use on metal, wood and plastic
Gun Care available in: Oil (50ml), Spray (50ml, 100ml, 200ml)
Gun Care Expert available in: Oil (50ml), Spray (50ml)
Can be used at temperatures from -50° to +210° C
Gun Cloth Set contains 10 packs of 2 cloths (1 x gun & 1 x hand)



Traditional Folder Wood 1 Knife

Two-handed opening knife with liner lock
AUS 8 stainless steel blade, zebra wood grip, includes leather belt holster
92mm blade length, 225mm overall length, 232g



Traditional Folder Wood 2 Knife

Two-handed opening knife with back lock
AUS 8 stainless steel blade, ebony wood grip, includes leather belt holster
92mm blade length, 225mm overall length, 232g



Adventure Folder Wood Knife

Two-handed opening knife with back lock
AUS 8 stainless steel blade, matt walnut grip, includes leather holster
102mm blade length, 240mm overall length, 203g



Neck Folding Knife

With framelock, black coated 440C steel blade
Metal grip, black paracord necklace, includes sheath
40mm blade length, 111mm overall length, 75g



Micro PPQ Knife

Two-handed opening knife with liner lock, no pouch
48mm blade length, 110mm overall length, 27g

WALTHER® KNIVES



Traditional Folding Knife 2

Two-handed opening knife with back lock
G10 grip with rubber coating
68mm blade length, 162mm overall length, 94g



Slim Pocket Knife

Two-handed opening knife with liner lock
Black coated 440C steel blade, metal grip
64mm blade length, 152mm overall length, 93g



Every Day Knife

Two-handed opening knife with liner lock
G10 grip with rubber coating
75mm blade length, 182mm overall length, 91.5g



Shared specs on
Walther knives:

440 stainless steel blade*
Synthetic grip*
Includes: pouch*

*Except where indicated



Outdoor Survival Knife 2

Two-handed opening knife with liner lock
G10 grip with rubber coating
105mm blade length, 240mm overall length, 245g



Black Tac Knife 2

One-handed opening knife with dual-sided assist, flipper and liner lock
Glass breaker
85mm blade length, 205mm overall length, 149g



PPQ Tanto Knife

One-handed opening knife with dual-sided assist and liner lock
95mm blade length, 223mm overall length, 140g



PPQ Knife

One-handed opening knife with dual-sided assist, flipper and liner lock
95mm blade length, 223mm overall length, 140g



Sub Companion Knife

One-handed opening knife with dual-sided assist and liner lock
70mm blade length, 173mm overall length, 77g



Back Up Knife

Fixed blade, includes adjustable hardcover sheath
105mm blade length, 210mm overall length, 129g



P99 Tactical Knife

Fixed blade, rubber grip, includes nylon sheath
150mm blade length, 275mm overall length, 270g



Black Tac Knife

One-handed opening knife with dual-sided assist, flipper and liner lock
Glass breaker, aluminium grip
85mm blade length, 199mm overall length, 164g



Rescue Knife (Yellow or Black)

One-handed opening knife with dual-sided assist and liner lock
Glass breaker, synthetic grip with fluorescent inlays
95mm blade length, 223mm overall length, 162g



P99 Knife

One-handed opening knife with dual-sided assist, flipper and liner lock
Interchangeable grip backstraps
94mm blade length, 223mm overall length, 170g



Fixed Tool Knife

Fixed blade with full tang, includes nylon sheath
G10 grip with walnut inlays, belt cutter, bottle opener
110mm blade length, 250mm overall length, 360g



Outdoor Survival Knife I

Fixed blade, includes nylon sheath with MOLLE and belt loop
147mm blade length, 280mm overall length, 290g



P38 Knife

Fixed blade, includes leather pouch
135mm blade length, 260mm overall length, 286g



Machtac 1 Machete

440 stainless steel blade
Synthetic grip, includes sheath
402mm blade length, 550mm overall length, 750g



Machtac 3 Machete

Extra-large 420 stainless steel coated blade
Straight blade for two-hand-use
Synthetic grip, includes rugged nylon sheath
473mm blade length, 767mm overall length, 1465g




Hunting Knife Set

Rugged nylon sheath contains two knives and a saw, each featuring 440 stainless steel blades and hard rubber grips
Large knife: 115mm blade length, 233mm overall length
Small knife: 85mm blade length, 190mm overall length
Compact saw: 64mm blade length, 146mm overall length




Machtac 2 Machete

440 stainless steel blade
Synthetic grip, includes sheath
380mm blade length, 530mm overall length, 609g



Tomahawk

Black coated 420 stainless steel blade
Durable nylon handle is resistant to weather and extreme temperatures
Includes pouch with belt loop
123mm blade length, 420mm overall length, 732g



Multi Functional Axe

Black coated carbon steel (that you can easily sharpen) with a broad end at the back, for using as a hammer and splitting firewood
Synthetic grip, includes sheath with belt loop
123mm blade length, 365mm overall length, 875g



X-large Tactical Knife

Fixed blade, 440C stainless steel blade, rubber grip, Kydex sheath
210mm blade length, 372mm overall length, 601g



Multi Tac Knife 2

A combination of tactical knife and tool
One-handed opening knife with assist and liner lock
Handle contains the multi-function tool, consisting of pliers, bottle opener, can opener, screwdriver and swing-out bit holder & 9 bits
Black coated 440C stainless steel blade, synthetic grip, includes pouch
80mm blade length, 198mm overall length, 215g

Compact knife sharpener

Two different cutting angles: one for kitchen, one for hunting and outdoor knives
Two different sharpening inserts: carbide for basic sharpening, ceramic for polishing and restoring



Ceramic knife sharpener

Ceramic bars are arranged in a V-shape so the correct sharpening angle is always achieved
Tough plastic casing with anti-slip feet



EF102 Folding Knife

One-handed opening knife with dual-sided assist and liner lock, 420 stainless steel blade, aluminium and G10 grip
Belt cutter, glass breaker
83mm blade length, 210mm overall length, 191g

EF126 Folding Knife

One-handed opening knife with two flippers and liner lock, aluminium grip
104mm blade length, 230mm overall length, 109g

EF141 Folding Knife

One-handed opening knife with dual-sided assist and liner lock
86mm blade length, 212mm overall length, 187g

EF144 Folding Knife

One-handed opening knife with dual-sided assist, flipper and liner lock
90mm blade length, 210mm overall length, 170g

EF145 Folding Knife

One-handed opening knife with assist and liner lock
90mm blade length, 215mm overall length, 120g

EF146 Folding Knife

One-handed opening knife with large thumbhole and liner lock, aluminium grip
85mm blade length, 180mm overall length, 74g

EF710 Fixed Blade

Rugged utility knife with full tang
Nylon sheath, no belt clip
107mm blade length, 230mm overall length, 210g

EF103 Folding Knife

One-handed opening knife with dual-sided assist and liner lock, 420 stainless steel blade, aluminium and G10 grip
70mm blade length, 165mm overall length, 73g

EF133 Folding Knife

One-handed opening knife with dual-sided assist, flipper and liner lock, Micarta grip
87mm blade length, 203mm overall length, 126g

Shared specs on Elite Force knives:

440 stainless steel blade*
Synthetic grip*
Includes: belt clip*

*Except where indicated

EF147 Folding Knife

One-handed opening knife with large thumbhole and liner lock, metal grip
56mm blade length, 150mm overall length, 68g

EF703 Survival Kit

Rugged survival knife with full tang
Black coated 440C stainless steel blade, synthetic grip, fire starter, sharpener, belt cutter, includes multi-functional nylon sheath
87mm blade length, 200mm overall length, 143g

EF712 Machete

440 stainless steel blade with saw, synthetic grip, includes sheath
440mm blade length, 610mm overall length, 1045g

EF801 Tactical Hammer

Black coated 420 stainless steel, synthetic grip, includes sheath with belt loop
491mm overall length, 822g

EF802 Shovel

Black coated 420 stainless steel, sharpened and serrated sections, supporting edge for use with foot, synthetic grip, includes sheath with belt loop
480mm overall length, 990g

EF804 Folding Shovel

Black coated 420 stainless steel, serrated sections, metal grip, includes sheath with belt loop
190mm overall length (folded), 460mm overall length (extended), 704g

WALTHER LIGHTS

TGS 10

IPX 7 water-resistant rating
99mm length, 74g



TGS 20

IPX 8 rated - waterproof up to 15m
126mm length, 92g



TGS 40

IPX 8 rated - waterproof up to 15m
143mm length, 113g



TGS 60

IPX 8 rated - waterproof up to 15m
143mm length, 113g



TGS 80

IPX 8 rated - waterproof up to 15m
194mm length, 305g



SLS210 pocket/bore light

130 lumens, Cree XM LED, anodised aircraft aluminium, 131mm length, 38g

Two Light Output settings - 100%, 10%
Includes: belt clip, 2 bore light extensions - 1 straight and 1 curved, 2 x AAA batteries



Shared specs on TGS lights:

Cree LED

High-quality aluminium body

Two Light Output settings - 100%, 10% + strobe (except TGS 10)

Multi Battery System allows for a variety of battery types (except TGS 10)

Dual switch for separate activation (TGS 60 & TGS 80 only)

Includes: batteries, lanyard, tactical rubber ring, replacement seals, belt clip (except TGS 10)

Made and tested according to ANSI FL1 (American National Standards Institute)

Optional accessories include:



TGS Colour Filter Set (Set of 3)

Colours: red, blue and green
Suitable for TGS 40, TGS 60



TGS Short Remote Switch

15cm length
IPX 4 water-resistant rating when attached
Suitable for TGS 40, TGS 60



TGS Long Remote Switch

25-50cm length
IPX 4 water-resistant rating when attached
Suitable for TGS 40, TGS 60

TGS Long Remote Switch (with mode function)

25-50cm length
IPX 4 water-resistant rating when attached
Suitable for TGS 40, TGS 60



KNIVES



ODL Folding Knife

One-handed opening knife with dual-sided assist and liner lock

Black coated 420 stainless steel blade, synthetic grip, lanyard hole, includes pouch

93mm blade length, 220mm overall length, 165g



Ancho Fixed Blade Knife (Orange, Black or Green)

Rugged all purpose knife

420 stainless steel blade, non-slip synthetic grip, includes hard cover nylon sheath with belt clip

109mm blade length, 241mm overall length, 134g



ODL Fixed Blade Knife

Rugged utility knife with full tang

Black coated 420 stainless steel blade, synthetic grip, lanyard hole, includes nylon sheath

110mm blade length, 235mm overall length, 182g



TOOLS



TI Multi Tool

14 functions including 420 stainless steel knife, screwdrivers, fold-out pliers with wire cutter, bottle opener, file, includes pouch

35mm blade length, 106mm overall length, 94g



ODL Multi Tool

A combination of knife and tool

Two-handed opening knife with liner lock

Saw, scissors, can opener, glass-breaker, 420 stainless steel blade, synthetic grip, includes pouch

75mm blade length, 176mm overall length, 135g



T2 Multi Tool

12 functions including 420 stainless steel knife, screwdrivers, fold-out pliers with wire cutter, bottle opener, file, includes pouch

60mm blade length, 163mm overall length, 120g



ODL Axe

Black coated carbon steel (that you can easily sharpen) with a broad end at the back, for using as a hammer and splitting firewood

Synthetic grip, lanyard hole, includes sheath

117mm blade length, 370mm overall length, 908g



ODL Foldable Saw

Foldable pocket saw, 65 MN steel, synthetic grip, lanyard hole, includes sheath

210mm overall length (folded), 470mm overall length (extended), 272g



Performance Center®



Specifications and terms included in this catalogue are subject to change without notice. While Frontier Arms Co Pty Ltd attempts to provide accurate information and graphics, there may be inadvertent inaccuracies in these materials. Frontier Arms is not responsible for, and reserves the right to correct, any such inaccuracies.